NAS1.60:1287

Jelem 230-H-15

NASA Technical Paper 1287

AVRADCOM Technical Report 78-18

> COMPLETED ORIGINAL

Effect of Geometry on Hydrodynamic Film Thickness

David E. Brewe, Bernard J. Hamrock, and Christopher M. Taylor

AUGUST 1978

NASA



ceter 830-4-15

NAS1.60:1287

NASA Technical Paper 1287 AVRADCOM Technical Report 78-18

Effect of Geometry on Hydrodynamic Film Thickness

David E. Brewe

Propulsion Laboratory, AVRADCOM Research and Technology Laboratories

Cleveland, Ohio

Bernard J. Hamrock

Lewis Research Center

Cleveland, Ohio

Christopher M. Taylor

University of Leeds

Leeds, England



Scientific and Technical Information Office

SUMMARY

The influence of geometry on the isothermal hydrodynamic film separating two rigid solids was investigated. The investigation was conducted for a conjunction fully immersed in lubricant (i.e., fully flooded). The effect of geometry on the film thickness was determined by varying the radius ratio from 1 (a ball-on-plate configuration) to 36 (a ball in a conforming groove). The dimensionless film thickness was varied from 10⁻⁵ to 10⁻⁴. Pressure-viscosity effects were not considered. It was found that the minimum film thickness had the same speed, viscosity, and load dependence as Kapitza's classical solution. However, the incorporation of the Reynolds boundary conditions resulted in an additional geometry effect. That is, the film-thickness equations can be compared as follows:

$$H_0 = 128\alpha \left[\epsilon(H_0) \frac{\varphi U}{W} \quad 0. \ 131 \ tan^{-1} \frac{\alpha}{2} + 1. \ 683 \right]^2 \qquad \left\{ \begin{array}{l} \text{Full circular film;} \\ \text{Reynolds boundary conditions} \end{array} \right.$$

$$H_0 = 128\alpha \left[\frac{\varphi U}{W} \left(0. \ 131 \ tan^{-1} \frac{\alpha}{2} + 1. \ 683 \right) \right]^2 \qquad \left\{ \begin{array}{l} \text{Parabolic approximation;} \\ \text{Reynolds boundary conditions} \end{array} \right.$$

$$H_0 = 128\alpha \left(\frac{\varphi U}{W} \frac{\pi}{2} \right)^2 \qquad \qquad \left\{ \begin{array}{l} \text{Parabolic approximation;} \\ \text{half-Sommerfeld boundary conditions} \end{array} \right.$$

where H_0 is the dimensionless central (minimum) film thickness, α is the radius ratio R_y/R_x , ϵ is the film-thickness effect on reduced hydrodynamic lift, and U/W is the ratio of dimensionless speed to dimensionless load. With the Reynolds boundary conditions the predicted load capacity is 11 to 20 percent greater than if half-Sommerfeld boundary conditions are used. The parabolic approximation results in overestimations of the minimum film thickness of 1.6 and 0.7 percent for dimensionless minimum film thicknesses of 10^{-4} and 10^{-5} , respectively.

INTRODUCTION

A considerable amount of work (refs. 1 to 6) has been done to develop a minimum-film-thickness formula for the classical hydrodynamic point- and line-contact problems. Most of the work to date has concentrated on minimum-film-thickness formulations for either a ball on a plate or line contact. But the full range of geometries between the two extremes has not been adequately studied. Kapitza's film-thickness solution (ref. 1) is not limited to a ball-on-plate configuration. However, applying the half-Sommerfeld boundary conditions used in Kapitza's analysis violates flow continuity at the cavitation boundary. Consequently, a need exists for a film-thickness formula that is determined by more realistic boundary conditions and that applies for a wide range of geometries.

Work (refs. 7 to 10) has been presented in which the minimum film thickness was determined by using an elastohydrodynamic lubrication (EHL) point-contact theory. There the influence of contact geometry - as expressed by the ellipticity parameter and the effects of the dimensionless speed, load, and material parameters on the minimum film thickness - was investigated for both the fully flooded and starved conditions. This paper continues the previous work to form a more complete theory. However, to properly bring out the physics requires a modification to the analytical approach used in the previous work. Here the effect of load capacity has been studied by varying the ratio of the transverse radius to the rolling radius ("radius ratio") for two film thicknesses. The investigation was conducted for a conjunction fully immersed in lubricant (i.e., fully flooded). The radius ratio was varied from 1 (a ball-on-plate configuration) to 36 (a ball in a conforming groove). The dimensionless film thickness was varied from 10⁻⁵ to 10⁻⁴. Thirteen cases were used in obtaining the film-thickness formula, for which pressure and thermal effects were considered to be negligible. Contour and profile plots of the pressure distribution are also shown.

SYMBOLS

 $\begin{array}{lll} a_0, a_1 & \text{least-squares coefficients} \\ D & \text{difference, } \left[(\widetilde{H}_{\min} - H_{\min})/H_{\min} \right] \times 100, \text{ percent} \\ G & \text{material parameter} \\ H & \text{dimensionless film thickness, } h/R_{\chi} \\ H_0 & \text{dimensionless central (minimum) film thickness, } h_0/R_{\chi} \\ \widetilde{H}_0 & \text{calculated dimensionless central (minimum) film thickness from least-squares analysis} \\ h & \text{film thickness, cm} \end{array}$

- h₀ central (minimum) film thickness, cm
- L reduced hydrodynamic lift
- m starvation parameter (percent loss in load capacity)
- N direction normal to boundary
- P dimensionless pressure, $pR_{\mathbf{x}}/\nu_0 \mathbf{u}$
- p pressure, N/cm²
- Q solution to homogeneous Reynolds equation
- R effective radius of curvature, cm
- r radius of curvature, cm
- S separation due to geometry of solids, cm
- U/W ratio of dimensionless speed to dimensionless load
- u average surface velocity in x-direction $(u_A + u_B)/2$, cm/sec
- w load capacity, N
- X dimensionless coordinate, x/R_x
- x coordinate along rolling direction, cm
- Y dimensionless coordinate, y/R_x
- y coordinate transverse to rolling direction, cm
- α radius ratio, R_v/R_x
- ϵ film-thickness effect on reduced hydrodynamic lift
- η dimensionless coordinate, $Y/\sqrt{2\alpha H_0}$
- u_0 fluid viscosity at standard temperature and pressure, N·sec/cm²
- φ Archard-Cowking side-leakage factor, $\left[1 + (2/3\alpha)\right]^{-1}$
- χ dimensionless coordinate, $X/\sqrt{2H_0}$

Subscripts:

- A solid A
- B solid B
- E entrance, or inlet
- x,y coordinate direction
- 0 center of contact
- ∞ infinite domain

THEORETICAL FORMULATION

Solution for Central Film Thickness

The thickness of a hydrodynamic film between two rigid bodies in rolling contact can be written as the sum of two terms; that is,

$$h = h_0 + S(x, y) \tag{1}$$

where

h₀ central (also minimum) film thickness due to hydrodynamic effects

S(x,y) separation due to geometry of solids

The separation of two rigid solids (fig. 1(a)) in which the principal axes of inertia of the two bodies are parallel can be written as

$$S = S_{Ax} + S_{Bx} + S_{Av} + S_{Bv}$$

where

$$S_{\mathbf{A}\mathbf{x}} = \mathbf{r}_{\mathbf{A}\mathbf{x}} - \sqrt{\mathbf{r}_{\mathbf{A}\mathbf{x}}^2 - \mathbf{x}^2}$$

$$S_{\mathbf{B}\mathbf{x}} = \mathbf{r}_{\mathbf{B}\mathbf{x}} - \sqrt{\mathbf{r}_{\mathbf{B}\mathbf{x}}^2 - \mathbf{x}^2}$$

$$S_{Ay} = r_{Ay} - \sqrt{r_{Ay}^2 - y^2}$$

$$S_{By} = r_{By} - \sqrt{r_{By}^2 - y^2}$$

A simplifying transformation can be effected by summing the curvatures in the x = 0 and y = 0 planes. In terms of the effective radius of curvature,

$$\frac{1}{R_x} = \frac{1}{r_{Ax}} + \frac{1}{r_{Bx}}$$

$$\frac{1}{R_v} = \frac{1}{r_{Av}} + \frac{1}{r_{Bv}}$$

The resulting equivalent system is shown in figure 1(b). The separation in terms of the coordinates and the effective radius of curvature is

$$S(x,y) = R_x - \sqrt{R_x^2 - x^2} + R_y - \sqrt{R_y^2 - y^2}$$
 (2)

Thus equation (1) is completely determined when the hydrodynamic effects on the central film thickness are known. These effects can be determined by applying the conservation equations for an incompressible Newtonian fluid under laminar, isothermal, isoviscous, steady-state conditions. The following Reynolds equation is obtained:

$$\frac{\partial}{\partial \mathbf{x}} \left(\mathbf{h}^3 \frac{\partial \mathbf{p}}{\partial \mathbf{x}} \right) + \frac{\partial}{\partial \mathbf{y}} \left(\mathbf{h}^3 \frac{\partial \mathbf{p}}{\partial \mathbf{y}} \right) = 12 \nu_0 \mathbf{u} \frac{\partial \mathbf{h}}{\partial \mathbf{x}}$$
 (3)

where u represents the average surface velocity between the two solids along the rolling direction. It is convenient to nondimensionalize with respect to the effective rolling radius; that is,

$$X = \frac{x}{R_x}$$
 $Y = \frac{y}{R_x}$ $H = \frac{h}{R_x}$ (4)

also

$$P = \frac{pR_x}{\nu_0 u} \qquad \alpha = \frac{R_y}{R_x}$$

where α denotes the 'radius ratio,' In terms of these dimensionless variables the Reynolds equation becomes

$$\frac{\partial}{\partial \mathbf{X}} \left(\mathbf{H^3} \frac{\partial \mathbf{P}}{\partial \mathbf{X}} \right) + \frac{\partial}{\partial \mathbf{Y}} \left(\mathbf{H^3} \frac{\partial \mathbf{P}}{\partial \mathbf{Y}} \right) = 12 \frac{\partial \mathbf{H}}{\partial \mathbf{X}}$$
 (5)

The film-thickness equation in dimensionless form is

$$H = H_0 + 1 - \sqrt{1 - x^2} + \alpha \left(1 - \sqrt{1 - \frac{y^2}{\alpha^2}} \right)$$
 (6)

For situations in which $X^2 << 1$, and $(Y/\alpha)^2 << 1$, it is convenient to expand H in a two-dimensional Taylor series to give

$$H \simeq H_0 + \frac{X^2}{2} + \frac{Y^2}{2\alpha}$$
 (7)

This is called the parabolic approximation. The analysis to follow uses both forms of H, and comparisons are made.

The solution of the Reynolds equation (eq. (5)) is known to consist of a homogeneous solution and a particular solution; that is,

$$P = P_p + P_h \tag{8}$$

for which P_h is a solution to the homogeneous equation and satisfies the condition that $P_h = -P_p$ at the boundaries:

$$\frac{\partial}{\partial \mathbf{X}} \left(\mathbf{H^3} \frac{\partial \mathbf{P_h}}{\partial \mathbf{X}} \right) + \frac{\partial}{\partial \mathbf{Y}} \left(\mathbf{H^3} \frac{\partial \mathbf{P_h}}{\partial \mathbf{Y}} \right) = \mathbf{0} \tag{9}$$

For the parabolic approximation, the particular solution for the pressure is simply proportional to X/H^2 ; that is,

$$P_p = \frac{-4 \varphi X}{H^2}$$

where

$$\varphi = \frac{1}{\left(1 + \frac{2}{3\alpha}\right)}$$

In the preceding equation φ is the side-leakage factor established by Archard and Cowking (ref. 11) and can be verified by inserting P_p back into equation (5). If we define $P_h(X,Y) = 4 \varphi Q(X,Y)$, by using equation (8), we can express the full solution as

$$P = 4\varphi\left(\frac{-X}{H^2} + Q\right)$$
 (10)

In general, the homogeneous solution P_h is an unknown function of X and Y. Consequently, the pressure distribution must be determined numerically. The pressure distribution as given in equation (10) can be used, however, in relating the hydrodynamic effects (i. e., load, speed, and viscosity) to the central film thickness. First, the load capacity and the pressure distribution are related through the following equation:

$$\mathbf{w} = \iint \mathbf{p} \, d\mathbf{x} \, d\mathbf{y} \tag{11}$$

or in dimensionless form (using eq. (4))

$$w = \nu_0 u R_x \iint P dX dY$$

Substituting equation (10) into this expression gives

$$\mathbf{w} = 4 \nu_0 \mathbf{u} \mathbf{R}_{\mathbf{x}} \varphi \iint \left(\frac{-\mathbf{X}}{\mathbf{H}^2} + \mathbf{Q} \right) d\mathbf{X} d\mathbf{Y}$$

For the parabolic film assumption, the central film thickness can be isolated from the integrand by defining the following transformation:

$$X = \sqrt{2H_0} \chi$$

$$Y = \sqrt{2\alpha H_0} \eta$$

If we assume the homogeneous solution to transform in the same manner as the particular solution, we obtain

$$\mathbf{w} = 8\varphi \nu_0 \mathbf{u} \mathbf{R}_{\mathbf{x}} \sqrt{\frac{2\alpha}{H_0}} \iiint \left[\frac{-\chi}{\left(1 + \chi^2 + \eta^2\right)^2} + Q(\chi, \eta) \right] d\chi d\eta$$
 (12)

Kapitza refers to this integral as the reduced hydrodynamic lift L. Thus,

$$L = \iiint \left[\frac{-\chi}{(1+\chi^2+\eta^2)^2} + Q(\chi,\eta) \right] d\chi d\eta$$
 (13)

The reduced hydrodynamic lift in Kapitza's analysis was determined to be $\pi/2$ by assuming Q=0 and integrating over the half-space of positive pressures. For Reynolds boundary conditions, the limits depend on the shape of the cavitation boundary and hence the geometry. Consequently, we seek an additional geometry effect in Kapitza's solution. Equation (12) enables us to determine the central (minimum) film thickness as a function of the load, speed, geometry, and fluid viscosity; that is,

$$H_{\min} = H_0 = 128\alpha \left(\frac{\varphi \nu_0 u R_x}{w} L\right)^2$$
 (14)

The ratio of dimensionless speed to dimensionless load may be defined as

$$\frac{\mathbf{U}}{\mathbf{w}} = \frac{\nu_0 \mathbf{u} \mathbf{R}_{\mathbf{x}}}{\mathbf{w}} \tag{15}$$

and equation (14) becomes

$$\vec{E}_{\hat{0}} = 128\alpha \left(\frac{\varphi UL}{W}\right)^2 \tag{16}$$

For the parabolic approximation, we need to determine L only as a function of the geometry; that is,

L = L(
$$\alpha$$
) if
$$\begin{cases} \chi^2 << (1/2H_0) \\ \eta^2 << (1/2H_0) \end{cases}$$

This will be determined numerically. If, on the other hand, the film thickness is large enough that these inequalities cannot be satisfied throughout most of the domain, the exact film-thickness equation (eq. (6)) must be used. The integrand of equation (13) thus becomes a function of the central film thickness. Consequently, $L = L(\alpha, H_0)$, resulting in a transcendental equation for H_0 .

Boundary Conditions

Earlier theories (ref. 12) assumed the pressure to be ambient or zero at the point of closest approach. This resulted in an antisymmetric solution with respect to X (fig. 2(a)). In actuality, the lubricant is unable to sustain the negative pressures predicted by the full solution. A simple approach taken by Kapitza (ref. 1) was to ignore the negative pressures, that is, to employ the half-Sommerfeld boundary conditions. This solution (fig. 2(b)) has been used to get a reasonable estimate for the load capacity. However, Kapitza's solution does not satisfy continuity conditions at the exit (cavitation) boundary; that is, the pressure gradient normal to the cavitation boundary must be zero. To insist on $P = (\partial P/\partial N) = 0$ at X = 0 would be overspecifying the problem mathematically. However, we can insist on $P = (\partial P/\partial N) = 0$ at the cavitation boundary

(i. e., Reynolds boundary conditions). The general solution will then appear as in figure 2(c). For film thicknesses of about 10⁻² to 10⁻³ centimeter, Dowson (ref. 13) has shown that other boundary requirements are needed. For that investigation, the cavitation boundary as determined by the Reynolds boundary conditions did not coincide with the cavitation boundary observed experimentally. Taylor (ref. 14) has summarized several of the boundary requirements that have evolved as a result of Dowson's work. Among the boundary requirements discussed, the Reynolds boundary conditions were chosen as the most appropriate for the conditions of load and speed in this investigation.

NUMERICAL ANALYSIS

A pressure distribution satisfying the Reynolds equation (eq. (3)) was determined numerically for a given speed, viscosity, geometry, and film thickness. The numerical solution was achieved by using the Gauss-Seidel iterative method with overrelaxation. The parameter $\Phi = PH^{3/2}$ (ref. 15) was introduced to help the relaxation process. A computer program is given in the appendix.

Nodal Structure

A variable-mesh nodal structure (fig. 3) was used to provide close spacing in and around the pressure peak. This helped to minimize the errors that can occur because of large gradients in the high-pressure region. The grid spacing used in terms of the coordinates X and Y was varied depending on anticipated pressure distribution. That is, for a very highly peaked and localized pressure distribution, the fine mesh spacing was about 0.002 and the coarse mesh spacing was about 0.1. For a relatively flat pressure distribution, the fine mesh spacing was about 0.13.

Integration Domain

The size of the conjunction, or the integration domain, is determined so as to make the contact fully flooded or as close to that as practical. From Dalmaz (ref. 3), a fully flooded condition for a ball-on-plate configuration would have an inlet domain defined by $X_E = -1$ and $Y_E = \pm 1$. By using the pressures from Kapitza's classical theory, the loss of load capacity resulting from using a finite inlet rather than the semi-intinite inlet used by Kapitza can be estimated. For this purpose let m represent the percent loss in load capacity; that is,

$$m = \left(1 - \frac{w}{w_{\infty}}\right) 100 \tag{17}$$

Thus as m approaches 100, the inlet becomes severely starved. If m approaches zero, the inlet is considered fully flooded. For the ball-on-plate inlet domain, m is calculated to be 1.61 percent. Since this represents a negligible loss in load capacity, we chose to retain the concept that a fully flooded condition exists in this case. Henceforth, if $m \le 1.61$ percent, the inlet is considered as fully flooded. According to this criterion, the inlets for all the geometries considered in this investigation were fully flooded (table I). The exit boundary was determined so as to allow for a fully developed cavitation boundary.

In our effort to achieve a fully flooded condition, we recognize the fact that the Reynolds equation loses some of its validity at large distances from the point of minimum film thickness. Dowson (ref. 16) has pointed out that the errors involved in using this equation to determine the buildup of pressure in such regions are negligible: The predicted pressures are themselves so very much smaller than the effective load-carrying pressures in the region of closest approach of the solids.

Film Thickness (Parabolic Film Approximation)

Once the integration domain has been established, the film-thickness equation can be determined numerically. First, the load capacity w is obtained from the numerically determined pressure distribution. Then inserting the value of w into equation (14) allows us to solve for L for various geometries.

From the data in table II, a curve fit can be effected as a function of geometry.

Studying figure 4 and trying several appropriate functional forms to curve-fit the data showed that the following equation represented the data best:

$$L = a_1 \tan^{-1} \frac{\alpha}{2} + a_0$$
 (18)

The values of a₀ and a₁ were determined to be

$$a_0 \approx 1.683$$
 $a_1 \approx 0.131$
(19)

The coefficient of determination r^2 (ref. 17) was 0.96 for this fit. The value of r^2 reflects the fit of the data to the resulting equation: 1 being a perfect fit, and 0 being the

worst possible fit. Inserting equation (18) into equation (16) gives for the calculated mininum film thickness

$$\widetilde{H}_{\min} = 128\alpha \left[\frac{\varphi U}{W} \left(0.131 \tan^{-1} \frac{\alpha}{2} + 1.683 \right) \right]^2$$
 (20)

For comparison of the calculated film thickness with the actual input film thickness, it is convenient to define the differences (in percent) as

$$D = \left[\frac{\widetilde{(H_{\min} - H_{\min})}}{H_{\min}} \right] \times 100$$
 (21)

The difference ranged from -2. 14 to 1.35 percent (table II).

Film Thickness (Exact Equation)

The results of using the exact film-thickness equation (eq. (6)) rather than the parabolic approximation (eq. (7)) can be compared from the values of L given in table II.

The values of L determined through the exact film-thickness analysis are always reduced by a constant factor. Thus the dependence on geometry and film thickness for the reduced hydrodynamic lift can be separated as follows:

$$L(\alpha, H_0) = \epsilon(H_0)L_p(\alpha)$$
 (22)

where L_p is determined by using the parabolic approximation. The values of $\epsilon(H_0)$ are given in table III. Using the parabolic approximation gives errors of 0.7 and 1.6 percent for film thicknesses of 10^{-5} and 10^{-4} , respectively. Although these errors are quite small, they would probably be larger for thicker films: As the film thickness is increased, the pressure distribution spreads out more evenly (e.g. fig. 5). Thus the pressures far from the point of contact, where the parabolic assumption is no longer valid, contribute more to the load capacity than if the pressure distribution had been very localized.

The minimum film thickness can now be written as

$$\widetilde{H}_{\min} = 128\alpha \left[\frac{\epsilon \varphi U}{W} \left(0.131 \tan^{-1} \frac{\alpha}{2} + 1.683 \right) \right]^2$$
 (23)

The difference ranges from 2.00 to -2.11 percent for the exact film-thickness results in table II.

DISCUSSION OF RESULTS

Comparison of Theories

The minimum-film-thickness equation derived by Kapitza using half-Sommerfeld boundary conditions and assuming the parabolic approximation is

$$\widetilde{H}_{\min} = 128\alpha \left(\frac{\varphi U}{W} \frac{\pi}{2}\right)^2$$
 (24)

By equation (16) with this expression for a given speed parameter, the load capacity for the two theories can be compared; that is,

$$\frac{W}{W_{\text{Kap}}} = \frac{L(\alpha)}{\left(\frac{\pi}{2}\right)}$$
 (25)

The effect of the geometry on the reduced hydrodynamic lift is shown in figure 4. The figure shows that L, and hence the load capacity (eq. (25)), is 11 to 20 percent greater than that predicted by Kapitza. The least difference occurs for a ball-on-plate contact. As α is increased, the difference in load capacities approaches a constant 20 percent. The alteration of the pressure distribution due to the Reynolds boundary conditions at the cavitation boundary is responsible for this geometry effect. Figure 6 is a three-dimensional representation of a pressure distribution for α of 1.00 and 36.54 and illustrates the shape of the cavitation boundary. As α becomes large, the cavitation boundary tends to straighten out, accompanied by decreasing changes in L. The scale along the y-axis in figure 6(a) has been magnified about 3 times to improve the resolution. Consequently the differences in the shapes of the cavitation boundary are actually subdued as they are presented.

The two analyses resulted in the same exponent of 2 for U/W. Dalmaz (ref. 3), using the Reynolds boundary conditions for a ball-on-plate configuration, reported an exponent of 1.77. The lower exponent appears to be due to starvation effects resulting from the inlet condition in both the analytical and experimental results. This is illustrated more clearly by comparing the results of applying the inlet condition of Dalmaz and the inlet condition in this study, using Kapitza's classical theory for both. A fixed oil film thickness at the inlet that is independent of the minimum film thickness is used in Dalmaz's analysis and in this study as well. But the inlet oil film thickness for the analysis of reference 3 and experimental work (given in ref. 18) was roughly 5 percent of that used here. The effect that this has on the exponent of U/W can be seen by calculating the load capacity for two different film thicknesses while keeping the other hydrodynamic

variables constant. Dimensionless minimum-film-thickness values of 10^{-4} and 10^{-5} result in load capacities of 0.046 and 0.151 newton, respectively. This would yield an exponent of 1.94. For thicker films (i.e., $H_0 = 10^{-3}$) the starvation effects become even more pronounced and the U/W exponent is driven down in value to 1.84. For comparison, from the data in table I for fully flooded conditions, we calculate the exponent to be 1.98.

Figure 7 compares experimental data (ref. 3) taken under lightly loaded (rigid contacts), isoviscous conditions for pure sliding of a ball on a plate with the corresponding theoretical results. The parameter grouping in the figure is that used by Dalmaz (ref. 3) and first introduced by Thorp and Gohar (ref. 4). The theoretical results of this paper are in excellent agreement with the data for the lower half range of $\rm H_0/WG$. For the reasons previously explained, the agreement of these results with the experimental results of reference 3 begins to diverge for the upper range of $\rm H_0/WG$. Further, using comparable inlet conditions for both theory and experiment provides better agreement between the two for the upper range of $\rm H_0/WG$, as the theoretical line of Dalmaz attests in figure 7. For comparison, the theory by Kapitza has been included.

Contour Plots

Isobar plots for three radius ratios (i.e., α of 25.29, 8.30, and 1.00) are shown in figure 8. The contours were generated by means of a contour-plotting subroutine and displayed with a Calcomp plotter. The contours belong to the family of curves defined by equation (10). The center of contact is represented by the asterisk. The pressure peak builds up in the entrance region, which is located to the left of the center of contact and is indicated by the +. Since the isobars in each case are evenly spaced, the pressure gradients can be easily depicted. Note that, as the radius ratio increases, the steeper pressure gradients are predominantly along the rolling direction. This implies that the amount of side leakage decreases as α increases. A decrease in side leakage is reflected in an increase in the value of φ . For line contact $\varphi = 1$ and for the largest value of α in this investigation ($\alpha = 36.54$) $\varphi = 0.998$.

Pressure Profiles

Pressure profiles across the center of the conjunction and in the direction of rolling are shown in figure 9 for three radius ratios (i.e., α of 36.54, 2.84, and 1.00). The pressures were generated for a constant dimensionless film thickness (H₀ = 10⁻⁴). The locations of the pressure peaks were not altered by the fact that Reynolds boundary conditions were used rather than half-Sommerfeld boundary conditions. The locations of the

pressure peaks from reference 1 are determined by setting $(\partial P/\partial X) = (\partial P/\partial Y) = 0$ and solving for X and Y as follows:

$$X_{pk} = -\sqrt{\frac{2H_0}{3}}$$

$$Y_{pk} = 0$$
(26)

Equation (26) shows that the geometry does not affect the pressure peak location, as can be verified by the numerically determined curves of figure 9. However, the magnitude of the pressure peaks will, according to equation (10), be modulated by the Archard-Cowking side-leakage factor φ , which is a function of the geometry. The influence of the side-leakage factor on the pressure distribution for several geometries is shown in figure 9.

CONCLUDING REMARKS

The influence of geometry on the isothermal hydrodynamic film separating two rigid solids was investigated. The investigation was conducted for a conjunction fully immersed in lubricant (i.e., fully flooded). The effect of the geometry on the film thickness was determined by varying the radius ratio from 1 (a ball-on-plate configuration) to 36 (a ball in a conforming groove). The dimensionless film thickness was varied from 10^{-5} to 10^{-4} . Pressure-viscosity effects were not considered. It was found that the minimum film thickness had the same speed, viscosity, and load dependence as Kapitza's classical solution. However, the incorporation of the Reynolds boundary conditions resulted in an additional geometry effect. That is, the film-thickness equations can be compared as follows:

$$\begin{split} H_0 &= 128\alpha \left[\epsilon(H_0) \, \frac{\varphi U}{W} \left(0. \, \, 131 \, \, \text{tan}^{-1} \, \frac{\alpha}{2} + 1. \, \, 683 \right) \right]^2 & \left\{ \begin{aligned} &\text{Full circular film;} \\ &\text{Reynolds boundary conditions} \end{aligned} \right. \\ H_0 &= 128\alpha \left[\frac{\varphi U}{W} \left(0. \, \, 131 \, \, \text{tan}^{-1} \, \frac{\alpha}{2} + 1. \, \, 683 \right) \right]^2 & \left\{ \begin{aligned} &\text{Parabolic approximation;} \\ &\text{Reynolds boundary conditions} \end{aligned} \right. \\ H_0 &= 128\alpha \left(\frac{\varphi U}{W} \, \frac{\pi}{2} \right)^2 & \left\{ \begin{aligned} &\text{Parabolic approximation;} \\ &\text{half-Sommerfeld boundary conditions} \end{aligned} \right. \end{split}$$

where H_0 is the dimensionless central (minimum) film thickness; α is the radius ratio R_y/R_x ; ϵ is the film-thickness effect on reduced hydrodynamic lift; φ is the Archard-Cowking side-leakage factor; and U/W is the ratio of dimensionless speed to dimensionless load. The Reynolds boundary conditions resulted in the predicted load capacity being 11 to 20 percent greater than if half-Sommerfeld boundary conditions were used.

The parabolic approximation resulted in overestimations of the minimum film thickness of about 1.6 and 0.7 percent for calculated dimensionless film thicknesses of 10^{-4} and 10^{-5} , respectively.

Lewis Research Center,
National Aeronautics and Space Administration,
Cleveland, Ohio, May 12, 1978,
505-04.

APPENDIX - COMPUTER PROGRAM

```
IMPLICIT REAL®8 (A-H, 0-Z)
       REAL+4 XMIN, XLEN, YMIN, XE (60)
       REAL+4 XG (56) , YG (56) , YGC (119) , DUMM (56, 119, 2)
       REAL+4 FN, US, WS, 35, XKS, XMAX, XCENTS, YCENTS, YMAX, PRMXS, XPK
       REAL * 4 KNODPS, XDEL, YDEL, HAINS, DAIN, HAAX
       NAMELIST/PADIUS/PAK, PAY, PBX, PBY, RX, PY, UA, UB, PHEE
       WAHELIST/OUTPUT/P, PBAR, PCHECK, SUM3, HO, HOBAR, UOW
       DIMENSION P2 (56,50,2)
       DIMENSION DENS (3360), VIS (3360), VIS (3360), 200 (3360), PHT (3360)
       DIMENSION A(3360), B(3360), C(3360), DLZ(3360), XL(3360), YM(3350)
       (C366) 99, (O366) V299, (O366) F, (C366) PF (3360)
       DIMENSION IN (3)
      COMMON/CTRINF/FN, US, WS, GS, XMAX, XCENTS, YCENTS, YMAX, PRMXS, XPK
      COMMON/CTR/KNODFS, XDEL, YDEL, HMINS, PMIN, HMAX
      COMMON/CTRINT/NCIP
C
C
      INPUT
C
      MPARA=1
      NVISC=0
      MWT=1
C
      MPAPA=1: THE PAPABOLIC APPROXIMATION WILL BE USED
C
C
       NVISC=0: THE ISO-VISCOUS SOLUTION IS DETERMINED
      MWT=1: PARTIALLY CONVERGED SOLUTION IS STORED ON TAPE
IN CASE OF CPASH
C
      POSM = 1.000
      IDE=1
      MAUR = 0
      JENN=0
      222=1.000
      PI=3.1015926535900
      PIVAS=4958.700
      VISO=4.11D-6
      VA =0.000
      VB=0.000
      2=.6700
      ELPHA=5.82744D-6
      BETA=1.683480-5
      VISE=. 0000000006 3100
      ORF=1.900
      NX=56
      NY =60
      201=9.79965200
      ZE1=490.19607800
      2E2= 201
      ZC1=10.00000
      202=500,000
      JZON = 10
      JHIN=10
      NCGF=10
      NZON2=44
      XCENT= 1.0000
      YCEN"= 1. OCD?
      XNODF=.9184030
      H= 1
```

```
M=-1: READS IN FORMATTED INPUT AND BYPASSES THE
INITIAL CALCULATION OF
      THE PRESSURE DISTRIBUTION
C
C
      M=0: READS IN HEXADECTMAL INPUT AND BYPASSES THE
C
INITIAL CALCULATION OF
      THE PRESSURE DISTRIBUTION
C
C
C
      M=+1: CALCULATES AN INITIAL GUESS
C
      RAX= 1. 1112500
      RAY=RAX
      RBX=1. D12
      RBY=- 1. D12
      UA=10.000
  975 CONTINUE
      DEL1=. 100
       MAXS2=1
      DEL3=. 100
      HHIN=10.000
      HMAX=10.0
      PRSVMX=. 1D-18
      PRMX=. 10-18
  976 CONTINUE
      UB=UA
      NXY=NX+NY
      NX1=NX-1
      NY 1= 2 * NY
       NYM1=NY1-1
      INY=2+VX
       7.C1S=ZC1
      2025=202
      ZE1S=ZE1
      ZE2S=ZE2
      FN=FLOAT (IDE)
      IN (1) = IDE
      IN (2) = NY
      IN (3) = NCGF
C
       CUEVATURE SUM AND DIFFFRENCE
C
      P"=(1./PAX)+(1./08X)
      RY= (1. /PAY) + (1. /PBY)
       PHO=RX+PY
      CHT/ (YR-XT) = AMMAR
C
      XCENTS = XCFNT/RX
      YCENTS = YCENT/EX
      XNODPS = XNODF/PX
      YM=YCENT
      XN=XCENT
      DIMENSIONLESS PARAMETER GROUPING
C
C
      SMU=.5* (UA+U9)
      SHV=. 5 . (VA+VB)
      V=SORT (S411 - 2 + S4V - 2)
      THETA=ATAN (SAV/SAT)
       EP=VISO V+RX
       H=VISC+RX+V/EP
```

```
US=U
      HO= 1. D-4
       PHEE=1./(1.+(2.+9Y)/(3.+PX))
       O1=VISE/VISO
       02=EP/19608.5268
       O5=ELPHA * EP
      O6=BETA*EP
    4 CONTINUE
       ZC=ZC1
       2CS=2C
       SA=1./2C
      SB=1.0/2D1
C
C
      INITIAL GUESS
C
      IF (M) 5,6,7
    5 CONTINUE
      PEAD (5, 00) (((P2(I,J,K),I=1,NX),J=1,NY),K=1,2)
  700 FORMAT (8D10.5)
      GO TO 7
    6 CONTINUE
      READ (5) ((P2(I,J,1),I=1,NX),J=1,NY)
      READ (5) ((P2(I,J,2), I=1,NX), J=1,NY)
      REWIND 8
    7 CONTINUE
      XMIN=XCENTS-.20
      Y=0.00
      DO 13 J=1, NY
      X = 0.00
      DO 12 I=1,NX
      ZD=ZD1
      N=I+(J-1) *NX
      JTWIN=NY1-J
      IF (J.GE.JZON) ZC=ZC2
      YGC (J) =Y/RX
      YGC (JTWIN) =2. *YCENTS-YGC (J)
      YMIN=YCENTS-. 16
      YMAX=YCENTS+. 16
      XG (I) = X/RX
      IP (YGC (JTWIN) . GF. YMAX) JMAX=JTWIN-1
      IF (JIWIN. EQ. JEAK . AND. XG (I) . LE. XCENTS) LU=4
      IF (XG (I) - LE. KMIN . AND. J. EQ. NY) K1=N
      IF (XMIN. EQ. 0.) K1 = NX+ (NY-1)+2
      IF (J. EQ. JMIN . AND. X3 (I) . LE. XCENTS) LMAY = N
      NVMP=NCGP+ (J-1) +NX
      NVMB=NVMF+NZON2
      IF (N. GE. NVMF . AND. N. LT. NVMB) ZD=ZE1
      IF (N.GE.NVMB) ZD=ZE2
      SOX= ((X-XN)/RX) **2
      SOY= ((Y-YM)/RX) **2
      IF (MPARA .EQ. 1) GO TO 75
      S(N) = (1. /FX) + (1. /FY) - DSORT ((1. /RX) ++2-50X) - DSORT ((1. /FY) ++2-50Y)
      IF (S(N) \cdot GT \cdot 1./RX) S(N) = 1./RX
      GO TO 9
  75 S(N) = (RX*SQX+RY*S)Y) /2.
      IF (S(N) .GT. 0.5/FX) S(N)=0.5/RX
    8 CONTINUE
      IP (M. EQ. 1) 30 TO 9
      PR(N) = P2(I,J, 1)
      GO TO 10
```

```
9 CONTINUE
       PR (N) =. 1D-8
   10 CONTINUE
       IF (J.EO. 1 . JR. I.EO. 1 . OR. I.EO. NX) PR(N) = 0.0D0
       IF (PR(N).GT.O.) 33 TO 11
       PP (N) = 0. DO
   11 PRSV(N) =P9 (N)
       IP (J. EQ. NY) YG (I) = PR (N)
       IF (PP(N).LT.PPSV4X) GO TO 12
       PRSVMX=PR (N)
       NHOLD = N
   12 X=X+1./ZD
   13 Y=Y+1./ZC
       XMAX=XG (NX)
       YDEL=YMAX-YTIN
       XDEL=YDEL
      WRITE(6,900) (PP(N),N=1,NXY)
  900 FORMAT (1H , 2HPR/70(1H , 10D13.5/))
      WRITE(6, 1000) (S(N), N=1, NXY)
 1000 FORMAT (1H ,1HS/7) (1H ,10D13.5/))
C
C
      FILM THICKNESS
C
   14 CONTINUE
      DO 19 J=1, NY
      DO 18 I=1, NX
      N3=I+(J-1) *NX
      H(N3) = HO+ PX+5 (N3)
      IF (H(N3).GT.HMIN) 33 TO 17
      HMIN=H(N3)
      HTINS=HTIN
      NSAVE= N3
   17 CONTINUE
      PHI (N3) = PR (N3) * (H (N3) **1.5)
   18 CONTINUE
   19 CONTINUE
      WRITE (6, 1103) NSAVE, HMIN
 1100 FORMAT(1H ,6HMSAVE=,110,10X,5HHMIN=,D16.5)
      WRITE (6, 1203) PRSVEX, NHOLD
 1200 FORMAT (1H , 8HPPSV4X=, D16.5, 10X, 7HNHOLD=, I10)
   20 CONTINUE
      WRITE (6, PADIUS)
C
       INITIAL VISCOSITY AND DENSITY CALCULATION
C
      DO 21 N=1, NXY
      DENS (N) = 1. + (Q5 * PR (N)) / (1. +Q6 * PR (N))
      VIS(N) = 2 1 . . (1. - (1. + 02 . PR (N)) . . Z)
       X = U (N) = DENS(N) /VIS(N)
   21 CONTINUE
C
C
       PELAKATION COEFFIENTS A.P.C.D.L.AND "
   22 CONTINUE
      SUM=0.000
      ZC=ZC1
      2F=7C1
      DO 24 J=2, NY
      DO 21 I=2, NX1
      2D=2D1
      ZE=ZD
```

```
N=I+(J-1) *NX
 NVMF=NCGF+ (J-1) +NX
 NVMB=NVMF+NZON2
 IF (J.GE. JZON) ZF=ZC2
 IF(J.GT.JZON) ZC=ZC2
 IF (N.GE. NVMF . AND. N. LT. NVMB) ZE=ZE1
 IP(N.GT.NVMP .AND. N.LE.NVMB) ZD=ZE1
IF (N. GE. NVMB) ZE=ZE2
 IF (N.GT.NVMB) ZD=ZE2
V1= ((ZE+ZD)/(ZE+ZD)) ++2.
V2= ((ZE) **2.) * (ZD-ZE) /(ZD+ZE)
V3= (ZE++3.) + (ZE+2. +ZD) / ((ZE+ZD)) ++2.
V4= (7.D ** 3.) * (2. *ZE+ZD) / ((ZE+ZD)) ** 2.
V5=(ZD/ZE) **2. *V2
C2D=ZC . 2-ZF . 2
C3P1=ZC+2. *ZP
C3P2=2. * 2C+ZF
CP=(ZF/(2C+ZP)) **2
CF1= (1./(ZC+ZF)) ++2
CP = (ZC+ZP) ** 2
Z1=.5*7D
22 = 2C / (2C + 2P)
Z3=Z1 ** 2
24=22 • • 2
N1=N+1
N2=N-1
N3=N+NX
N4 = N-NX
IP (J.EQ.NY) N3=N4
YOU YMU (N)
Y1=XMU(N1)
Y2=XMU (N2)
Y3=X4U(43)
Y4 = X40 (N4)
Y5=H(N1)
Y6=H(N2)
Y7=H(N)
Y8=H(N3)
Y9=H(N4)
Y10=Y1+DSQRT (Y5)
Y11=Y2+DSQRT (Y6)
Y12=Y3+DSORT (Y8)
Y13=Y4 . DSORT (Y9)
Y14=YO DSORT (Y7)
A (N) = V1 • Y2 • V2 • Y3 • V1
B(N) = Z4 * (Y3 * ZF * * 2 - C20 * Y0 * ZC * C3 * 1 * Y4)
C(N)=V4+Y2-V5+Y3+V1+Y1
DLZ (N) = CF * (ZF * C3P2 * Y3 * C2D * Y0 * ZC * 2 * Y4)
XL1=Y2+4. +Z3-(ZD-ZE) ++2+YO+Y1+ZE++2+CF1+(Y3+ZF++2+CP-:2D++2+YO+ZC++2+CP+Y4)
XL2=1.5/(Y7**1.5)
XL3=Y11+(V0+Y6-Y7+0.+73+Y5+V1)+Y10+(-V5+Y6+(ZD-ZE)++2+Y7+Y5+V2)+
    Y10 * (V1 * Y6 - ZE * * 2 * Y7 * V 3 * Y5)
XL4=CP1*(Y12*ZF**2*(ZP*C3P2*Y8-CP*Y7*Y9*ZC**2)*
    Y13+ZC++2+(Y3+ZP++2-CP+Y7+ZC+C3P1+Y9)+
    Y14+C2D+(ZF++2+Y8+C2D+Y7-ZC++2+Y9))
XL(N) = XL1 + XL2 + (XL3 + XL4)
X#1=12. *U/ (Y7 ** 1.5)
XM2= ((ZE**2. *DENS(N1) *Y5/(ZD*ZE) *(ZD-ZE) *DENS(N) *Y7-
    ZD ** 2. *DENS (N2 3) *Y6/(ZD+ZE)) *DCOS (THETA))
X43= (Y4+ZF++2+DE45 (N3) +C2D+DENS (N) +Y7-Y9+ZC++2+DENS (H4) ) +DSIN (THETA)
```

```
XH (N) = XH 1+ (XH2+22/2C+XH3)
    23 CONTINUE
    24 CONTINUE
    25 SUM=0.0D0
C
C
       RELAXATION PORMULA
C
       DO 30 J=2,NY
       MEND=0
       DO 29 I=2,NX1
       MH=I+ (J-1) *NX
       MNA=MN+1
       MNB=MN-1
       MNC=MN+NX
       MND=MN-NX
       IF (J. EQ. NY) MNC=MND
       ZPR(MN) = PHI(MN) - DRP+ (PHI(MN) + (XM(MN) - A(MN) + PHI(MNA) - B(MN) + PHI(MND) -
      1 -C(MN) *PHI (MNB) -DLT (MN) *PHI (MNC) ) /XL(MN))
   26 CONTINUE
       IF (ZPR(MN).LE.O.) GO TO 27
       Y18= (ZPR (MN) - PHI (MN) ) /ZPR (MN)
       SUM=SUM+DABS (Y18)
       GO TO 28
   27 ZPR(MN) =0.10-20
       HEND=HEND+1
       IF (MEND . EQ. 1) XE(J) = XG(I)
   28 PHI (NN) = ZPR (NN)
   29 CONTINUE
   30 CONTINU"
   31 CONTINUE
       MAUR= HAUR+ 1
   41 CONTINUE
       IF (MWT.EO.3) GO TO 56
   65 CONTINUE
       WRITE (8) ((P2(I,J,1), I=1,NX), J=1,NY)
       WRITE (8) ((P2(7,J,2),I=1,NX),J=1,NY)
       REWIND 8
   66 CONTINUE
       IF (SUM. LT. DEL3) 30 TO 311
       GO TO 25
C
       VISCOSITY AND DENSITY ITERATION
C
C
  311 SUM2=0.0D0
       WRITE (6,483) MAUR, SUR
  480 FORMAT(18 .5HMATR=.19.5x.6HSTH=.18)
       MAUR=0
       PRMX=. 10-13
      DO 315 J=2,NY
      DO 316 I=2,8X1
      N=I+(J-1) * NX
      PR (N) = (PHI (N) / (H(N) ** 1.5) + (ROSM-1.) *PR(N)) /ROSM
      IF (PR(N).LT. PRMX) GO TO 33
      PRMX=PF(N)
      PRMXS = PRMX
      NHOLD=N
   33 CONTINUE
      IF (NVISC. EQ. 0) 30 TO 316
```

```
DEMSH=1.+ (Q5+PP(N))/(1.+Q6+PR(N))
      VISE=0100 (1.- (1.+ )20PF (N)) **Z)
      XMUN=DENSK/VISK
      Y99= (XMUN-XMU(N)) /XMUN
      SUM2=SUM2+DABS (793)
       DENS (N) =DENS
       VIS(N) = VISN
  316 XMU(N) = XMUN
  315 CONTINUE
      MN 1=1
  459 CONTINUE
      JENN=JENN+1
       WRITE (6,910) SUM2
  810 FORMAT (18 ,5HSUM2) , D16.5)
      IF (SUM 2. LT. DEL 1) 30 TO 32 IF (MAXS2. GT. 400) 30 TO 63
      MAXS2=MAXS2+1
      GO TO 22
C
      APPLIED NORMAL LOAD
C
   32 CONTINUE
      TAXS2=1
      WRITE (6,481) JENN
  481 FORMAT(18 , 9HJFNMIFER = , 18)
      JENN=0
      MAUR=0
       QU4=0.000
      PSU==0.000
       IZON=1
      ZD=ZD1
      PBAR=0.000
      PCHECK = 0. 0D0
      MS=2
      MF=NCGF
      GO TO 483
  482 ZD=ZE1
      120N=2
      MSEMP
      MF=MS+N7ON2
      QU4=0.000
      PSUM = 0.000
      GO TO 48/3
  485 ZD=7E2
      IZON= 3
      MS=MF
      MF=NX
      QU4 = 0.350
       504-0.000
  GP3 COUTINGE
       39 I ** S. 4P
       18=80D (1,2)
      195=900 (95,2)
      IP (IMS. E(. 1) GO TO 496
      001=1.000
      IF (IM. EQ. 1) QU1=2.000
      GO TO 487
  495 QU1=2.0D0
      IF (IT.EQ. 1) 201=1.000
  497 CONTINUE
      005=1.000
```

```
QU3=0.000
     IF (I.EQ. MS . OF. I.EQ. MF) QU1=.500
     IF (I.EQ. MS . OF. I. EQ. MF) QU5=.500
     JINTG=1
     2C=2C1
     NS=2
     NF=JZON
     GO TO 35
  34 JINTG=2
     zc=zc2
     NS=NF
     NF=NY
  35 DO 37 J=NS,NP
     N=I+(J-1) *NX
     JN= MOD (J, 2)
     JMS=MOD (MS,2)
     IF (JMS. EQ. 1) GO TO 40
     IF (JN.E0.0) 3V1=2.0D0
     IF (JN. EQ. 1) QV1=4.000
     IF (J.EQ.NS . J.EQ.NF) QV1=1.0D0
     GO TO 37
  40 IF (JN.EQ. 0) 2V1=4.0D0
     IF (JN. EQ. 1) QV1=2.000
     IF (J.EQ.NS . J.EQ.NF) QV1=1.000
  37 QU3=QU3+PR(N) *QV1/2C
     IF (JINTG. EQ. 1) GO TO 34
     PSUM= PSUM + OU 3 + OU 5 / 3 . 0
  38 004=004+003+001/3.0
     PBAR=4.*EP/(RX**2) *204/(3.*2D) *PBAR
     PCHECK=2. *EP/ (RX ** 2) * PSUM/ZD+PCHECK
     IF (IZON. EQ. 2) GO TO 485
     IF (IZON. EQ. 3) GO TO 36
     GO TO 482
  36 CONTINUE
     UOW=U+VISO/(PBAR+RX)
     WRITE (6, OUTPUT)
     WS=PPAR
  39 CONTINUE
     IF (MPARA.ED.O) 30 TO 43
     PRMX=. 10-13
     PRSVMX = PRMX
     HMAX=10.000
     HMIN=10.000
     MPARA=0
     GO TO 976
  43 CONTINUE
     WRITE(6, 1600) NSAVE, HMIN
1600 FORMAT (1H ,6HNSAVE=,110,10x,5HHMIN=,D16.5)
     WRITE(6, 1700) (PR(N), N=1, NXY)
1700 FORMAT (1H ,24PE/70(1H ,10D13.5/))
     WRITE(6, 1800) (PHI(N), N=1, NXY,
1800 PORMAT (1H , 3HPHI/70 (1H , 10013.5/))
     WRITE (6, 1900) (H(N), N=1, NXY)
     WRITE (6,2000) (S(N), N=1, NXY)
1900 PORMAT (1H , 1HH/70(1H , 10013.5/))
2000 FORMAT (1H ,1HS/70(1H ,10D13.5/))
     WRITE(6,2100) (DENS(N), N=1, NXY)
2100 FORMAT (1H ,7HDENSITY/70(1H ,10D13.5/))
     WRITE (5,2200) (VIS (N), N=1, NXY)
2200 PORTAT (1H ,9HVISCOSITY/70(1H ,10D13.5/))
     WRITE (6,2300) (A(N), N=1, NXY)
```

```
WRITE(6, 2400) (B(N), N=1, NXY)
       WRITE (6,2500) (C(N), N=1, NXY)
       WRITE(6, 2600) (DLZ(N), N=1, NXY)
       WRITE (6, 2700) (XL(N), N=1, NXY)
       WRITE(6, 2800) (X1(N), N=1, NXY)
 2300 FORMAT (1H , 1HA/70(1H , 10D13.5/))
 2400 FORTAT (1H , 1HB/70(1H , 10D13.5/))
 2500 FORMAT (1H ,1HC/73(1H ,10D13.5/))
 2600 FORMAT (1H , 1HD/70(1H , 10013.5/))
 2700 FORMAT (1H .1HL/73 (1H .10D13.5/))
 2800 POPMAT(1H ,1H4/70(1H ,10013.5/))
C
   53 CONTINUE
       PMIN=. 1E-20
       PREX=. 10-20
       DO 55 J=1.NY
       DO 54 I=1.NX
       N=I+NX+ (J-1)
       JTWIN-NY1-J
      IF (J. EQ. NY) YG (I) = PF (N)
       P2(I,J,1) =PR(N)
       DUMM (I, J, 1) = PR (N)
       DUMM (I, JTWIM, 1) -PR (N)
       DUMM (I, J, 2) = H (N)
       DUMM (I, JTWIN, 2) = 5 (N)
       IF (J. NE. JHIN . OR. PR (N) . LT. PHIN) GO TO 57
       PHIN=PR(N)
       NMIN-N
   57 CONTINUE
       IF (JTWIN. NE. JHAY . OP. PP (N) . LT. PHIN) GO TO 58
       PHIN=PP(N)
      NU=N
   58 CONTINUE
      IF (PR (N) . LT. PRMX) GO TO 54
       PRMX=PR(N)
      PRHXS=PR(N)
      NHOLD = N
      XPK=XG(I)
   54 P2(I,J,2) =H(N)
   55 CONTINUE
      KMAX=NXY-1
      HMAX=H (KMAX)
       IF (H(LMAX) .LT.HMAX) HMAX=H(LMAX)
      IF (H(LU; . LT. HHAX) HHAX=H(LU)
      IF (H(K1) . LT. HBAX) HBAX=H(K1)
      IF (PHIN. LT. PP (KMAX)) PMIN=PP (KMAY)
      IP(PMIN.LT.PR(X1)) PMIN=PP(K1)
   59 CONTINUE
   60 CONTINUE
      WRITE (7, 2903) (((P2(I, J, K), I=1, NK), J=1, NY), C=1, 2)
 2900 FORMAT (8D10.5)
       WRITE(6, 3000) PPTX, NHOLD
 3000 FORMAT (1H ,6HPPMx*, D16.5, 10x,7HMHOLD*, 110)
   61 CONTINUE
      CALL PSETUP(NX, NYM1, XG, YGC, DUMM)
      CALL CTRSBR(NX, NYM1, NXY, NY, X3, YGC, DUMM, XMIN, TMIN)
   62 CONTINUE
      CALL GRAPNO(IN, X44X, XG, TG, NX, INY)
   63 CONTINUE
      CALL TERM
   64 CONTINUE
      STOP
      END
```

REFERENCES

- Kapitza, P. L.: Hydrodynamic Theory of Lubrication During Rolling. Zh. Tekh. Fiz., vol. 25, no. 4, 1955, pp. 747-762.
- Martin, H. M.: The Lubrication of Gear-Teeth. Engineering (London), vol. 102, 1916, pp. 119-121.
- Dalmaz, G.; and Godet, M.: Traction, Load, and Film Thickness in Lightly Loaded Lubricated Point Contacts. J. Mech. Eng. Sci., vol. 15, no. 6, Dec. 1973, pp. 400-409.
- Thorp, N.; and Gohar, R.: Oil Film Thickness and Shape for a Ball Sliding in a Grooved Raceway. J. Lubr. Technol., vol. 94, July 1972.
- Howlett, J.: Film-Lubrication Between Spherical Surfaces: With an Application to the Theory of the Four-Ball Lubricant Testing Instrument. J. Appl. Phys., vol. 17, no. 3, Mar. 1946, pp. 137-149.
- Korovchinskii, M. V.: Possible Limiting Conditions of Hydrodynamic Friction in the Four-Ball Testing Machine. Frict. Wear Mach. (USSR), vol. 12, 1958, pp. 233-273.
- Hamrock, Bernard J.; and Dowson, Duncan: Isothermal Elastohydrodynamic Lubrication of Point Contacts. I - Theoretical Formulation. NASA TN D-8049, 1975; also J. Lubr. Technol., vol. 98, Apr. 1976, pp. 223-229.
- Hamrock, Bernard J.; and Dowson, Duncan: Isothermal Elastonydrodynamic Lubrication of Point Contacts. II - Ellipticity Parameter Results. NASA TN D-8166, 1976; also J. Lubr. Technol., vol. 98, July 1976, pp. 375-383.
- Hamrock, Bernard J.; and Dowson, Duncan: Isothermal Elastohydrodynamic Lubrication of Point Contacts. III - Fully Flooded Results. J. Lubr. Technol., vol. 99, Apr. 1977, pp. 264-276.
- Hamrock, Bernard J.; and Dowson, Duncan: Isothermal Elastohydrodynamic Lubrication of Point Contacts. IV - Starvation Results. J. Lubr. Technol., vol. 99, Jan. 1977, pp. 15-23.
- Archard, J. F.; and Cowking, E. W.: Elastohydrodynamic Lubrication at Point Contacts. Proc. Inst. Mech. Eng. (London), vol. 180, pt. 3B, 1965-66, pp. 47-56.
- Sommerfeld, A.: The Hydrodynamic Theory of Lubrication Friction. Z. Math. Phys., vol. 50, no. 1-2, 1904, pp. 97-155.

- Dowson, D.: Investigation of Cavitation in Lubricating Films Supporting Small Loads. Conference on Lubrication and Wear, Proceedings of the Institution of Mechanical Engineers (London), 1957, pp. 93-99.
- Taylor, C. M.: Separation Cavitation; Solutions for the Infinite Width Cylinder -Plane and Journal Bearing Configurations. J. Mech. Eng. Sci., vol. 15, no. 3, 1973, pp. 237-239.
- Vogelpohl, Georg: Beitrage zur Kenntnis der Gleitlagerreibung (A Treatise on Friction in Sliding Bearings). V. D. I. Forschungsh, no. 386, 1937.
- Dowson, D.: The Inlet Boundary Condition. Cavitation and Related Phenomena in Lubrication, D. Dowson, M. Godet, and C. M. Taylor, eds., Mechanical Engineering Publications, Ltd., New York, 1975, pp. 143-152.
- Spiegel, Murray R.: Schaum's Outline of Theory and Problems of Statistics. McGraw-Hill Book Co., Inc., 1961.
- Dalmaz, G.; and Godet, M.: An Apparatus for the Simultaneous Measurement of Load, Traction, and Film Thickness in Lubricated Sliding Point Contacts, Tribology, vol. 5, no. 3, 1972, pp. 111-117.

TABLE I. - ESTIMATE OF PERCENT LOSS OF LOAD CAPACITY FOR VARIOUS GEOMETRIES AND INTEGRATION DOMAINS

Minimum film thickness, H ₀	Radius ratio, o	Inlet parameter		Load capacity		Loss of load
		Abcissa -X _E	Ordinate *YE	Finite domain, w(N)	Infinite domain, w _{ec} (N)	m, percent
10-5	36, 5361	1.00	7.00	1, 5162	1. 5237	0.49
10-5	1.0000		1.00	. 1532	. 1540	. 51
10-4	36, 5361		7.00	. 4744	. 4818	1.55
	25.2897		1	. 3917	. 3977	1, 50
	15, 8434			. 3055	. 3100	1.46
	11, 8266		†	. 2604	. 2642	1.45
	8, 3033		4.00	. 2133	. 2165	1.50
	5,2073	i	4.00	. 1635	. 1659	1.46
	3,9983		2.00	. 1369	. 1391	1.61
	2.8428		2.00	. 1091	. 1109	1.54
	2.3213		2.00	. 0946	. 0961	1.51
	1,3978		1.34	. 0640	. 0650	1.56
	1.0000	•	1.00	. 0479	. 04 87	1.61

TABLE II. - DATA SHOWING EFFECT OF GEOMETRY ON MINIMUM FILM THICKNESS

[Average surface velocity in x-direction, u, 10 cm/sec; fluid viscosity, ν_0 , 0.411×10⁻⁵ N·sec/cm²; effective radius of curvature, R_x, 1.11125 cm.]

Radius	Load	Reduced	Minimum	film thickness		
ratio, α	eapacity, w(N)	hydro- dynamic lift, L	Inputted value, H _{min}	Calculated from equation, \widetilde{H}_{\min}	tween H _{min} and H _{min} , D, percent,	
36, 5361	1, 8450	1, 9020	10-5	a _{0.9785×10} -5	-2. 14	
	1, 8392	1, 8960	10-5	. 9789	-2. 11	
	. 5749	1. 8741	10-4	a _{1.0079×10} -4	.79	
	. 5704	1, 8595	1	1,0075	.75	
25.2897	.4738	1, 8714		a _{1.0075}	.75	
25.2897	.4701	1, 8568		1, 0072	.72	
15. 8434	. 3681	1. 8652		^a 1.0078	.78	
15. 8434	. 3653	1, 8510		1,0070	.70	
11. 8266	. 3128	1. 8592		1, 0079	.79	
11, 8266	. 3104	1. 8449		1.0072	.72	
8, 3033	. 2571	1. 8658		a. 9919	-, 81	
8, 3033	. 2552	1, 8520		. 9907	-, 93	
5. 2973	. 1955	1. 8501		a. 9900	-1.00	
5. 2973	. 1940	1, 8360		. 9894	-1.06	
3, 9983	. 1627	1. 8367		a. 9899	-1.00	
3,9983		1. 8232		. 9887	-1, 13	
2.8428	. 1284	1. 8206		a. 9880	-1.20	
2.8428	. 1274	1. 8065		. 9876	-1, 24	
2.3213	. 1105	1. 8074		a. 9878	-1.22	
2.3213	. 1097	1.7943		. 9863	-1. 37	
1.3978	. 0727	1,7543		a _{1.0061}	. 61	
1, 3978	. 0720	1.7384		1, 0094	. 94	
1. 0000	. 0537	1,7305		^a 1. 0135	1, 35	
	. 0531	1.7121	١,	1. 0200	2.00	
	. 1719	1.7533	10-5	a. 9891	-1.09	
	. 1713	1.7472	10-5	. 9901	-, 99	

^aCalculated by using the parabolic film assumption in theory.


TABLE III. - EFFECT OF

FILM THICKNESS ON


REDUCED HYDRO-

DYNAMIC LIFT

Dimensionless minimum film thickness, H _{min}	Effect of H_{min} on reduced hydrodynamic lift, $\epsilon(H_{min})$
10 ⁻⁴	0. 992
10 ⁻⁵	. 997




(a) Two rigid solids separated by a lubricant film.



(b) Equivalent system of a rigid solid near a plane separated by a lubricant film.

Figure 1. - Contact geometry.



(c) Solution using Reynolds boundary conditions.
Figure 2. - Effect of boundary conditions.




Figure 3. - Variable nodal structure used for numerical calculations.




Figure 4. - Effect of radius ratio on reduced hydrodynamic lift.






Figure 5. - Pressure profiles along rolling direction for two film thicknesses.



(a) Radius ratio, q, 1.00.



Φ) Radius ratio, α, 36.54.

Figure 6. - Three-dimensional representations of pressure distributions as viewed from exit region, illustrating cavitation boundary.




Figure 7. - Theoretical and experimental results. Figure 8. - Pressure contours for three radius ratios.




Figure 9. - Pressure profiles along rolling direction for dimensionless film thickness of 10^{-4} with three radius ratios.

1 Report No. NASA TP-1287 AVRADCOM TR 78-18(PL)	2. Government Accession No.	3. Recipient's Catalo	g No	
4. Title and Subtitle		5. Report Date		
EFFECT OF GEOMETRY ON H	EFFECT OF GEOMETRY ON HYDRODYNAMIC			
FILM THICKNESS	IDNOD INAMIC	6. Performing Organ	ration Gode	
7. Author(s)		8. Performing Organi	zation Report No	
David E. Brewe, Bernard J. Ha	amrock, and	E-9347		
Christopher M. Taylor		10. Work Unit No.		
 Performing Organization Name and Address NASA Lewis Research Center a 	nd	505-04		
AVRADCOM Research and Tech	nology Laboratories	11. Contract or Grant	No	
Cleveland, Ohio 44135				
		13. Type of Report a	nd Period Covered	
 Sponsoring Agency Name and Address National Aeronautics and Space 	Administration	Technical Pa	aper	
Washington, D.C. 20546 and U		vd 14. Sponsoring Agenc	v Code	
Development Command, St. Lou				
15 Supplementary Notes	115, 110. 00100			
David E. Brewe, AVRADCOM F	Research and Technology Labor	atories; Bernard J.	Hamrock,	
Lewis Research Center; Christ	opher M. Taylor, Lecturer in	Mechanical Engineer	ing,	
University of Leeds, Leeds, En	gland, National Research Coun	cil - NASA Research	Associate.	
Presentation at ASLE-ASME Jo				
16 Abstract				
The influence of geometry on the	e isothermal hydrodynamic film	separating two rigi	id solids	
was investigated. Pressure-vis				
thickness is derived for fully flo	oded conjunctions by using the	Reynolds be indary	conditions.	
It was found that the minimum f	ilm thickness had the same spe	ed, viscosity, and le	oad de-	
pendence as Kapitza's classical	solution. However, the incorp	oration of Reynolds	boundary	
conditions resulted in an addition	The second secon			
proximation are compared with				
Contour plots are shown that inc	licate in detail the pressure de	veloped between the	solids.	
17 Key Words (Suggested by Author(s))	18 Distribution Sta	lement		
Hydrodynamics; Film thickness		Unclassified - unlimited		
Lubrication; Isothermal process	,			
		gory or		
contact loads; Sliding; Reynolds	equation,			
Leakage; Cavitation flow				
19 Security Classif (of this report)	20 Security Classif (of this page)	21 No of Pages	22 Price*	
Unclassified	Unclassified	34	A03	

DEC 14 1978